



83

96

92



Performance

Best  
Practices

SEO

There were issues affecting this run of Lighthouse:

- **Clearing the origin data timed out. Try auditing this page again and file a bug if the issue persists.**
- **Clearing the browser cache timed out. Try auditing this page again and file a bug if the issue persists.**



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100

Ved Tech Solutions



METRICS

Expand view

First Contentful Paint	Largest Contentful Paint
1.7 s	2.3 s
Total Blocking Time	Cumulative Layout Shift
540 ms	0.009
Speed Index	
2.2 s	

		Ved Tech Solutions	Ved Tech Solutions	Ved Tech Solutions	Ved Tech Solutions	Ved Tech Solutions	Ved Tech Solutions

Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Go back to audits

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Forced reflow	^
<p>A forced reflow occurs when JavaScript queries geometric properties (such as <code>offsetWidth</code>) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about <a href="#">forced reflows</a> and possible mitigations.</p>	
Top function call	Total reflow time
react-dom_client.js?v=b45429ac:15	83 ms
Source	Total reflow time
installHook.js:1	83 ms
▲ Network dependency tree	^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **823 ms**

#### Initial Navigation

**http://localhost:5173 - 68 ms, 0.12 KiB**

**/css2?family=... (fonts.googleapis.com) - 610 ms, 0.00 KiB**

**...v31/JTUSJlg1\_...woff2 (fonts.gstatic.com) - 823 ms, 0.00 KiB**

**/src/main.jsx (localhost) - 96 ms, 0.17 KiB**

**/src/App.jsx (localhost) - 127 ms, 0.17 KiB**

**...pages/Main.jsx (localhost) - 161 ms, 0.17 KiB**

**...pages/SignUp.jsx (localhost) - 223 ms, 0.17 KiB**

**...deps/@mui\_material.js?v=b45429ac (localhost) - 347 ms, 0.00 KiB**

**...deps/react-hook-form.js?v=b45429ac (localhost) - 277 ms, 0.00 KiB**

**...pages/Services.jsx (localhost) - 215 ms, 0.17 KiB**

**...deps/lucide-react.js?v=b45429ac (localhost) - 326 ms, 0.00 KiB**

**/ServiceSection.png?import (localhost) - 290 ms, 0.17 KiB**

**...pages/ContactPage.jsx (localhost) - 214 ms, 0.17 KiB**

**...deps/react-toastify.js?v=b45429ac (localhost) - 262 ms, 0.00 KiB**

**...deps/chunk-VEB3A3D5.js?v=b45429ac (localhost) - 290 ms, 0.00 KiB**

**...dist/ReactToastify.css (localhost) - 277 ms, 0.17 KiB**

**...pages/Product.jsx (localhost) - 216 ms, 0.17 KiB**

**/freepik\_\_background\_\_65233.png?import (localhost) - 290 ms, 0.17 KiB**

**...pages/About.jsx (localhost) - 215 ms, 0.17 KiB**

**/analysis.jpg?import (localhost) - 290 ms, 0.17 KiB**

**/handShake.jpg?import (localhost) - 289 ms, 0.17 KiB**

**/idea.jpg?import (localhost) - 289 ms, 0.17 KiB**

**/personSmile.jpg?import (localhost) - 289 ms, 0.17 KiB**

**/meet.jpg?import (localhost) - 288 ms, 0.17 KiB**

**/party.jpg?import (localhost) - 288 ms, 0.17 KiB**

**/business-meeting-office.jpg?import (localhost) - 284 ms, 0.17 KiB**

**/aboutPageimage.png?import (localhost) - 279 ms, 0.17 KiB**

**...pages/TermsPage.tsx (localhost) - 222 ms, 0.17 KiB**

**...components/AnimatedBackground.jsx (localhost) - 220 ms, 0.17 KiB**

**...pages/PrivacyPolicy.jsx (localhost) - 218 ms, 0.17 KiB**

**...pages/CookiePolicy.jsx (localhost) - 217 ms, 0.17 KiB**

**...components/Footer.jsx (localhost) - 216 ms, 0.17 KiB**

...components/Navbar.jsx (localhost) - **157 ms**, 0.17 KiB  
...deps/framer-motion.js?v=b45429ac (localhost) - **250 ms**, 0.00 KiB  
...deps/chunk-JDXAG2GL.js?v=b45429ac (localhost) - **275 ms**, 0.00 KiB  
...deps/chunk-SY7RNRUN.js?v=b45429ac (localhost) - **270 ms**, 0.00 KiB  
...components/Floter.jsx (localhost) - **155 ms**, 0.17 KiB  
...deps/react-icons\_fa6.js?v=b45429ac (localhost) - **253 ms**, 0.00 KiB  
...pages/Hero.jsx (localhost) - **181 ms**, 0.17 KiB  
...components/ButtonGroup.jsx (localhost) - **239 ms**, 0.17 KiB  
/whyus.jpg?import (localhost) - **236 ms**, 0.17 KiB  
/authentic-small-youthful-marketing-agency.jpg?import (localhost) - **235 ms**, 0.17 KiB  
/herosectionimage.png?import (localhost) - **235 ms**, 0.17 KiB  
...deps/react-router-dom.js?v=b45429ac (localhost) - **205 ms**, 0.00 KiB  
...components/ScrollToTop.js (localhost) - **160 ms**, 0.17 KiB  
/src/App.css (localhost) - **154 ms**, 0.17 KiB  
...deps/react-dom\_client.js?v=b45429ac (localhost) - **143 ms**, 0.00 KiB  
...deps/chunk-2ERLBQ4U.js?v=b45429ac (localhost) - **177 ms**, 0.00 KiB  
...deps/react\_jsx-dev-runtime.js?v=b45429ac (localhost) - **126 ms**, 0.00 KiB  
...deps/chunk-5MDD43XU.js?v=b45429ac (localhost) - **150 ms**, 0.00 KiB  
/src/index.css (localhost) - **127 ms**, 0.17 KiB  
...deps/react.js?v=b45429ac (localhost) - **126 ms**, 0.00 KiB  
/@vite/client (localhost) - **96 ms**, 0.17 KiB  
...client/env.mjs (localhost) - **114 ms**, 0.17 KiB  
/@react-refresh (localhost) - **108 ms**, 0.17 KiB

---

### Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

---

### Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

---

Layout shift culprits



Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Element	Layout shift score
Total	0.009
<div><div></div></div>	0.007
div.absolute.inset-0.rounded-full.border-2.border-purple-400.drop-shadow-lg	
<div><div></div><div>span.text-red-600</div></div>	0.003
...v31/JTUSjlg1_....woff2 (fonts.gstatic.com)	Web font

Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).


Statistic	Element	Value
Total elements		339
Most children	<div><div></div></div> div#root	8
DOM depth	<div><div><div></div></div></div> path	13

LCP breakdown



Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP

Subpart	Duration
Time to first byte	20 ms
Element render delay	780 ms



3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	35 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	20 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	6 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
Google Fonts <span>Cdn</span>	44 KiB	0 ms
...v31/JTUSjlg1_....woff2 (fonts.gstatic.com)	37 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	7 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 3.6 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Other	1,896 ms
Script Evaluation	842 ms
Style & Layout	580 ms
Script Parsing & Compilation	123 ms
Rendering	85 ms
Garbage Collection	64 ms
Parse HTML & CSS	20 ms

▲ Page prevented back/forward cache restoration — 1 failure reason



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.  http://localhost:5173	Pending browser support

Minify CSS — Est savings of 2 KiB



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

URL	Transfer Size	Est Savings
@import url('https://fonts.googleapis.com/css2?family=Abril+Fatface&family=Merriweather:wght@700&fa...	10.5 KiB	2.2 KiB

Minify JavaScript — Est savings of 2,203 KiB



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Est Savings
localhost <span>1st Party</span>	<b>5,966.5 KiB</b>	<b>2,202.6 KiB</b>
...deps/@mui_material.js?v=b45429ac (localhost)	1,854.1 KiB	649.5 KiB
...deps/react-dom_client.js?v=b45429ac (localhost)	872.3 KiB	263.4 KiB
...deps/lucide-react.js?v=b45429ac (localhost)	1,205.0 KiB	216.2 KiB
/@vite/client (localhost)	172.2 KiB	150.0 KiB
...pages/Hero.jsx (localhost)	167.2 KiB	124.1 KiB
...deps/framer-motion.js?v=b45429ac (localhost)	355.9 KiB	103.3 KiB
...deps/react-router-dom.js?v=b45429ac (localhost)	365.8 KiB	99.3 KiB
...pages/Services.jsx (localhost)	106.8 KiB	79.4 KiB
...pages/TermsPage.tsx (localhost)	89.0 KiB	61.7 KiB
/@react-refresh (localhost)	70.5 KiB	60.5 KiB
...pages/Product.jsx (localhost)	80.4 KiB	58.9 KiB
...pages/SignUp.jsx (localhost)	71.6 KiB	55.1 KiB
...pages/About.jsx (localhost)	69.9 KiB	50.0 KiB
...pages/CookiePolicy.jsx (localhost)	66.8 KiB	46.9 KiB



URL	Transfer Size	Est Savings
...components/Footer.jsx (localhost)	46.9 KiB	33.3 KiB
...pages/ContactPage.jsx (localhost)	44.5 KiB	32.4 KiB
...components/Navbar.jsx (localhost)	32.4 KiB	23.7 KiB
...deps/react-hook-form.js?v=b45429ac (localhost)	75.9 KiB	16.7 KiB
...pages/PrivacyPolicy.jsx (localhost)	25.2 KiB	16.0 KiB
...deps/chunk-5MDD43XU.js?v=b45429ac (localhost)	54.1 KiB	15.8 KiB
...pages/Main.jsx (localhost)	13.9 KiB	8.0 KiB
...components/AnimatedBackground.jsx (localhost)	11.0 KiB	6.6 KiB
...deps/chunk-JDXAG2GL.js?v=b45429ac (localhost)	23.0 KiB	6.6 KiB
...deps/react_jsx-dev-runtime.js?v=b45429ac (localhost)	23.0 KiB	6.6 KiB
...deps/react-toastify.js?v=b45429ac (localhost)	35.8 KiB	4.2 KiB
...deps/chunk-2ERLBQ4U.js?v=b45429ac (localhost)	16.1 KiB	3.5 KiB
...components/Floter.jsx (localhost)	6.5 KiB	3.4 KiB
...client/env.mjs (localhost)	3.8 KiB	3.3 KiB
...components/ScrollToTop.js (localhost)	2.4 KiB	2.1 KiB
...components/ButtonGroup.jsx (localhost)	4.6 KiB	2.0 KiB

Reduce unused JavaScript — Est savings of 4,142 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.  
[Learn how to reduce unused JavaScript.](#) FCP LCP

URL	Transfer Size	Est Savings
localhost <span>1st Party</span>	7,006.6 KiB	4,102.1 KiB
...deps/react-icons_fa6.js?v=b45429ac (localhost)	1,731.8 KiB	1,692.4 KiB
...fa6/index.mjs	1,695.0 KiB	1,692.0 KiB
...deps/@mui_material.js?v=b45429ac (localhost)	1,816.8 KiB	993.9 KiB
...@mui/material/esm/useAutocomplete/useAutocomplete.js	29.3 KiB	28.9 KiB
...@mui/material/esm/Tabs/Tabs.js	30.6 KiB	21.2 KiB
...@mui/material/esm/Slider/Slider.js	34.8 KiB	20.2 KiB
...@mui/material/esm/Slider/useSlider.js	19.4 KiB	19.1 KiB
...@mui/material/esm/Tooltip/Tooltip.js	27.8 KiB	18.9 KiB
...deps/react-dom_client.js?v=b45429ac (localhost)	872.3 KiB	419.2 KiB
...react-dom/cjs/react-dom-client.development.js	859.4 KiB	416.4 KiB
...scheduler/cjs/scheduler.development.js	11.4 KiB	2.8 KiB
...deps/react-router-dom.js?v=b45429ac (localhost)	365.8 KiB	318.0 KiB
...react-router/dist/development/chunk-XJI4KG32.mjs	324.6 KiB	283.6 KiB
...turbo-stream/dist/turbo-stream.mjs	19.8 KiB	19.2 KiB
...react-router/dist/development/dom-export.mjs	5.9 KiB	5.7 KiB
...set-cookie-parser/lib/set-cookie.js	5.5 KiB	5.1 KiB
...cookie/src/index.ts	4.7 KiB	4.1 KiB
...deps/framer-motion.js?v=b45429ac (localhost)	355.9 KiB	200.1 KiB
...framer-motion/dist/es/projection/node/create-projection-node.mjs	41.1 KiB	33.4 KiB
...framer-motion/dist/es/gestures/drag/VisualElementDragControls.mjs	13.4 KiB	12.8 KiB
...framer-motion/dist/es/animation/sequence/create.mjs	6.7 KiB	6.6 KiB
...framer-motion/dist/es/animation/generators/spring/index.mjs	4.5 KiB	4.4 KiB
...framer-motion/dist/es/gestures/pan/PanSession.mjs	4.3 KiB	4.2 KiB
...pages/Services.jsx (localhost)	106.8 KiB	83.7 KiB
...	9.2 KiB	8.8 KiB
...deps/react-hook-form.js?v=b45429ac (localhost)	75.9 KiB	73.1 KiB
...logic/createFormControl.ts	29.4 KiB	29.3 KiB

URL	Transfer Size	Est Savings
...useFieldArray.ts	7.9 KiB	7.9 KiB
...logic/validateField.ts	5.9 KiB	5.9 KiB
...useController.ts	3.3 KiB	3.3 KiB
...useForm.ts	2.5 KiB	2.5 KiB
...pages/TermsPage.tsx (localhost)	89.0 KiB	59.9 KiB
...	13.4 KiB	13.0 KiB
...pages/Product.jsx (localhost)	80.4 KiB	48.8 KiB
...	11.7 KiB	11.0 KiB
...pages/About.jsx (localhost)	69.8 KiB	46.4 KiB
...	9.1 KiB	8.4 KiB
...pages/CookiePolicy.jsx (localhost)	66.8 KiB	45.7 KiB
...	8.4 KiB	8.0 KiB
...pages/SignUp.jsx (localhost)	71.6 KiB	40.4 KiB
...	7.8 KiB	6.9 KiB
...deps/chunk-5MDD43XU.js?v=b45429ac (localhost)	54.1 KiB	29.5 KiB
...cjs/react.development.js	51.4 KiB	29.5 KiB
...pages/ContactPage.jsx (localhost)	44.5 KiB	26.8 KiB
...	6.1 KiB	5.5 KiB
...deps/lucide-react.js?v=b45429ac (localhost)	1,205.0 KiB	24.3 KiB
...lucide-react/dist/esm/icons/index.js	48.6 KiB	24.3 KiB
Unattributable	57.6 KiB	39.6 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	39.6 KiB

○ Avoid long main-thread tasks — 7 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
localhost <span>1st Party</span>		<b>1,041 ms</b>
...deps/react-dom_client.js?v=b45429ac (localhost)	1,932 ms	324 ms
...deps/react-dom_client.js?v=b45429ac (localhost)	1,644 ms	288 ms
http://localhost:5173	615 ms	160 ms
http://localhost:5173	2,320 ms	103 ms
http://localhost:5173	775 ms	102 ms
...deps/react-dom_client.js?v=b45429ac (localhost)	2,256 ms	64 ms
Unattributable		<b>759 ms</b>
Unattributable	885 ms	759 ms

User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (20) Hide

Use efficient cache lifetimes ^

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#) FCP LCP

Document request latency ^

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP

Avoids redirects

Server responds quickly (observed 11 ms)

Applies text compression

## Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP  
LCP

## Font display

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

## Improve image delivery

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP

## ○ INP breakdown

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

## ○ LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

## Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

## Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP  
LCP

## Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP  
FCP

Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

Avoids enormous network payloads — Total size was 7 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

URL	Transfer Size
localhost <span>1st Party</span>	1.7 KiB
/@react-refresh (localhost)	0.2 KiB

URL	Transfer Size
/@vite/client (localhost)	0.2 KiB
/aboutPageimage.png?import (localhost)	0.2 KiB
/analysis.jpg?import (localhost)	0.2 KiB
/authentic-small-youthful-marketing-agency.jpg?import (localhost)	0.2 KiB
/business-meeting-office.jpg?import (localhost)	0.2 KiB
/freepik__background__65233.png?import (localhost)	0.2 KiB
/handShake.jpg?import (localhost)	0.2 KiB
/herosectionimage.png?import (localhost)	0.2 KiB
/idea.jpg?import (localhost)	0.2 KiB

JavaScript execution time — 0.9 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
localhost <span>1st Party</span>	1,873 ms	758 ms	76 ms
...deps/react-dom_client.js?v=b45429ac (localhost)	1,014 ms	600 ms	6 ms
http://localhost:5173	632 ms	56 ms	68 ms
...deps/framer-motion.js?v=b45429ac (localhost)	227 ms	102 ms	2 ms
Unattributable	1,499 ms	26 ms	0 ms
Unattributable	1,499 ms	26 ms	0 ms

○ Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)



Best Practices

GENERAL

▲ Browser errors were logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
<div>inst allH ook. js:1</div>	<div>Invalid DOM property `%s`. Did you mean `%s`? clip-rule clipRule Error Component Stack at path (<span>&lt;anonymous&gt;</span>) at svg (<span>&lt;anonymous&gt;</span>) at li (<span>&lt;anonymous&gt;</span>) at ul (<span>&lt;anonymous&gt;</span>) at div (<span>&lt;anonymous&gt;</span>) at div (<span>&lt;anonymous&gt;</span>) at div (<span>&lt;anonymous&gt;</span>) at div (<span>&lt;anonymous&gt;</span>) at div (<span>&lt;anonymous&gt;</span>) at Hero (<span>&lt;anonymous&gt;</span>) at RenderedRoute (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:5759:26) at Routes (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6490:3) at Main (http://localhost:5173/src/pages/Main.jsx:27:22) at Router (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6433:13) at BrowserRouter (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:8681:3) at App (<span>&lt;anonymous&gt;</span>)</div>



Source	Description
--------	-------------

inst allH ook. js:1	
------------------------------	--

	Invalid DOM property `%s`. Did you mean `%s`? fill-rule fillRule Error Component Stack at path ( <anonymous>) at svg (<anonymous>) at li (<anonymous>) at ul (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at Hero (<anonymous>) at RenderedRoute (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:5759:26) at Routes (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6490:3) at Main (http://localhost:5173/src/pages/Main.jsx:27:22) at Router (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6433:13) at BrowserRouter (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:8681:3) at App (<anonymous>)</anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous>
--	---

inst allH ook. js:1	
------------------------------	--

	Invalid DOM property `%s`. Did you mean `%s`? stroke-linecap strokeLinecap Error Component Stack at path ( <anonymous>) at svg (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at Hero (<anonymous>) at RenderedRoute (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:5759:26) at Routes (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6490:3) at Main (http://localhost:5173/src/pages/Main.jsx:27:22) at Router (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6433:13) at BrowserRouter (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:8681:3) at App (<anonymous>)</anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous>
--	---

inst allH ook. js:1	
------------------------------	--

	Invalid DOM property `%s`. Did you mean `%s`? stroke-linejoin strokeLinejoin Error Component Stack at path ( <anonymous>) at svg (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at Hero (<anonymous>) at RenderedRoute (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:5759:26) at Routes (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6490:3) at Main (http://localhost:5173/src/pages/Main.jsx:27:22) at Router (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6433:13) at BrowserRouter (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:8681:3) at App (<anonymous>)</anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous>
--	---

inst allH ook. js:1	
------------------------------	--

	Invalid DOM property `%s`. Did you mean `%s`? stroke-width strokeWidth Error Component Stack at path ( <anonymous>) at svg (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at div (<anonymous>) at Hero (<anonymous>) at RenderedRoute (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:5759:26) at Routes (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6490:3) at Main (http://localhost:5173/src/pages/Main.jsx:27:22) at Router (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:6433:13) at BrowserRouter (http://localhost:5173/node_modules/.vite/deps/react-router-dom.js?v=b45429ac:8681:3) at App (<anonymous>)</anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous></anonymous>
--	---

## TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No HSTS header found		High

☐ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (14) Hide

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Avoids third-party cookies

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Document uses legible font sizes — 99.98% legible text



Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥ 12px. [Learn more about legible font sizes.](#)

Source	Selector	% of Page Text	Font Size
http://localhost:5173	<code>&lt;text x="18" y="20.35" font-family="Arial" font-size="7" text-anchor="middle" fill="#29B6F6" font-weight="bold"&gt;</code>	0.02%	7px
Legible text		99.98%	≥ 12px

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No issues in the [Issues](#) panel in Chrome Devtools



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

URL	Map URL
Unattributable	
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map
Error: Failed fetching source map (null)	
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map
Error: Failed fetching source map (null)	
localhost <span>1st Party</span>	
/whyus.jpg?import (localhost)	
...pages/TermsPage.tsx (localhost)	
...pages/SignUp.jsx (localhost)	
...pages/Services.jsx (localhost)	
...pages/Product.jsx (localhost)	
...pages/PrivacyPolicy.jsx (localhost)	
...pages/Main.jsx (localhost)	

URL	Map URL
...pages/Hero.jsx (localhost)	
...pages/CookiePolicy.jsx (localhost)	
...pages/ContactPage.jsx (localhost)	
...pages/About.jsx (localhost)	
/src/main.jsx (localhost)	
...components/ScrollToTop.js (localhost)	
...components/Navbar.jsx (localhost)	
...components/Footer.jsx (localhost)	
...components/Floter.jsx (localhost)	
...components/ButtonGroup.jsx (localhost)	
...components/AnimatedBackground.jsx (localhost)	
/src/App.jsx (localhost)	
/ServiceSection.png?import (localhost)	
/personSmile.jpg?import (localhost)	
/party.jpg?import (localhost)	
...client/env.mjs (localhost)	
...deps/react.js?v=b45429ac (localhost)	
...deps/react-toastify.js?v=b45429ac (localhost)	...deps/react-toastify.js.map (localhost)
...deps/react-router-dom.js?v=b45429ac (localhost)	...deps/react-router-dom.js.map (localhost)
...deps/react-icons_fa6.js?v=b45429ac (localhost)	...deps/react-icons_fa6.js.map (localhost)

URL	Map URL
...deps/react-hook-form.js?v=b45429ac (localhost)	...deps/react-hook-form.js.map (localhost)
...deps/react-dom_client.js?v=b45429ac (localhost)	...deps/react-dom_client.js.map (localhost)
...deps/react_jsx-dev-runtime.js?v=b45429ac (localhost)	...deps/react_jsx-dev-runtime.js.map (localhost)
...deps/lucide-react.js?v=b45429ac (localhost)	...deps/lucide-react.js.map (localhost)
...deps/framer-motion.js?v=b45429ac (localhost)	...deps/framer-motion.js.map (localhost)
...deps/chunk-VEB3A3D5.js?v=b45429ac (localhost)	...deps/chunk-VEB3A3D5.js.map (localhost)
...deps/chunk-SY7RNRUN.js?v=b45429ac (localhost)	...deps/chunk-SY7RNRUN.js.map (localhost)
...deps/chunk-JDXAG2GL.js?v=b45429ac (localhost)	...deps/chunk-JDXAG2GL.js.map (localhost)
...deps/chunk-5MDD43XU.js?v=b45429ac (localhost)	...deps/chunk-5MDD43XU.js.map (localhost)
...deps/chunk-2ERLBQ4U.js?v=b45429ac (localhost)	...deps/chunk-2ERLBQ4U.js.map (localhost)
...deps/@mui_material.js?v=b45429ac (localhost)	...deps/@mui_material.js.map (localhost)
/meet.jpg?import (localhost)	
/idea.jpg?import (localhost)	
/herosectionimage.png?import (localhost)	
/handShake.jpg?import (localhost)	
/freepik__background__65233.png?import (localhost)	
/business-meeting-office.jpg?import (localhost)	
/authentic-small-youthful-marketing-agency.jpg? import (localhost)	
/analysis.jpg?import (localhost)	
/aboutPageimage.png?import (localhost)	

URL	Map URL
/@vite/client (localhost)	
/@react-refresh (localhost)	

NOT APPLICABLE (2)

Hide

- ☐

Redirects HTTP traffic to HTTPS

^
- Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)
- ☐

Detected JavaScript libraries

^
- All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CRAWLING AND INDEXING

robots.txt is not valid — 22 errors found

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

Line #	Content	Error
1	<!doctype html>	Syntax not understood



Line #	Content	Error
2	<html lang="en">	Syntax not understood
3	<head>	Syntax not understood
4	<script type="module">import { injectIntoGlobalHook } from "@react-refresh";	Syntax not understood
5	injectIntoGlobalHook(window);	Syntax not understood
6	window.\$RefreshReg\$ = () => {};	Syntax not understood
7	window.\$RefreshSig\$ = () => (type) => type;</script>	Syntax not understood
9	<script type="module" src="@vite/client"></script>	Syntax not understood
11	<meta charset="UTF-8" />	Syntax not understood
12	<link rel="icon" type="image/png" href="/logo.png" />	Syntax not understood
13	<meta name="viewport" content="width=device-width, initial-scale=1.0" />	Syntax not understood
14	<title>Ved Tech Solutions (cpaaS service provider)</title>	Syntax not understood
15	<meta	Syntax not understood
16	name="description"	Syntax not understood
17	content="Ved Tech Solutions is a leading CPaaS service provider, offering robust communication solutions for businesses worldwide.We Offer SMS Gateway Solutions, WhatsApp Business API, Voice Call Solutions, RCS Solutions, Omnichannel Messaging, A2P Messaging Solutions and more."	Syntax not understood

Line #	Content	Error
18	<code>&lt;/&gt;</code>	Syntax not understood
19	<code>&lt;/head&gt;</code>	Syntax not understood
20	<code>&lt;body&gt;</code>	Syntax not understood
21	<code>&lt;div id="root"&gt;&lt;/div&gt;</code>	Syntax not understood
22	<code>&lt;script type="module" src="/src/main.jsx"&gt;&lt;/script&gt;</code>	Syntax not understood
23	<code>&lt;/body&gt;</code>	Syntax not understood
24	<code>&lt;/html&gt;</code>	Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

#### Document has a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

#### Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

#### Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

#### Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

#### Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

#### Document has a valid hreflang



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)


#### NOT APPLICABLE (1)

[Hide](#)

#### ☐ Document has a valid rel=canonical



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

 Initial page load

 Slow 4G throttling

 Using Chromium 142.0.0.0 with devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)